




DATASHEET

HK HYDRAULIC PISTON COMPRESSORS-BLUE AIR



HK450/8-15
HKOF450/8-15
HK1000/12-35



HK HYDRAULIC PISTON COMPRESSORS-BLUE AIR


TABLE OF CONTENTS

v.2.0 11/2023 WNu

1. DIMENSIONS	3
2. HYDRAULIC CONNECTIONS	6
3. TECHNICAL SPECIFICATIONS	7


1. DIMENSIONS

HK450




Model	Dimensions,							Weight
	L	W	H	A	B	C	D	kg (lbs)
HK450/8-15-F-U	496 (19.5)	410 (16.1)	446 (17.6)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-F-U-Y	496 (19.5)	410 (16.1)	430 (16.9)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-F-U-Y-H	496 (19.5)	410 (16.1)	430 (16.9)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-F-E	496 (19.5)	410 (16.1)	446 (17.6)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-F-E-Y	496 (19.5)	410 (16.1)	430 (16.9)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-F-E-Y-H	496 (19.5)	410 (16.1)	430 (16.9)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-S-U	494 (19.4)	410 (16.1)	446 (17.6)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-S-U-Y	494 (19.4)	410 (16.1)	430 (16.9)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-S-U-Y-H	494 (19.4)	410 (16.1)	430 (16.9)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-S-E	494 (19.4)	410 (16.1)	446 (17.6)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-S-E-Y	494 (19.4)	410 (16.1)	430 (16.9)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-S-E-Y-H	494 (19.4)	410 (16.1)	430 (16.9)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-PNE	517 (20.4)	410 (16.1)	446 (17.6)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-PNE-Y	517 (20.4)	410 (16.1)	446 (17.6)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)
HK450/8-15-PNE-Y-H	517 (20.4)	410 (16.1)	446 (17.6)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35 (77)

HKOF450




Model	Dimensions,							Weight	
	L	W	H	A	B	C	D	kg	(lbs)
HKOF450/8-15-F-E	496 (19.5)	410 (16.1)	446 (17.6)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35	(77)
HKOF450/8-15-F-E-Y	496 (19.5)	410 (16.1)	430 (16.9)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35	(77)
HKOF450/8-15-F-U	496 (19.5)	410 (16.1)	446 (17.6)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35	(77)
HKOF450/8-15-F-U-Y	496 (19.5)	410 (16.1)	430 (16.9)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35	(77)
HKOF450/8-15-PNE	517 (20.4)	410 (16.1)	446 (17.6)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35	(77)
HKOF450/8-15-PNE-Y	517 (20.4)	410 (16.1)	446 (17.6)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35	(77)
HKOF450/8-15-S-E	494 (19.4)	410 (16.1)	446 (17.6)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35	(77)
HKOF450/8-15-S-E-Y	494 (19.4)	410 (16.1)	430 (16.9)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35	(77)
HKOF450/8-15-S-U	494 (19.4)	410 (16.1)	446 (17.6)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35	(77)
HKOF450/8-15-S-U-Y	494 (19.4)	410 (16.1)	430 (16.9)	374 (14.7)	350 (13.8)	350 (13.8)	11 (0.4)	35	(77)

HK1000



Model	Dimensions,							Weight
	L	W	H	A	B	C	D	
HK1000/12-35-F-U	691 (27.2)	490 (19.3)	605 (23.8)	610 (24.0)	430 (16.9)	430 (16.9)	13 (0.5)	80 (177)
HK1000/12-35-F-U-D	691 (27.2)	490 (19.3)	605 (23.8)	610 (24.0)	430 (16.9)	430 (16.9)	13 (0.5)	80 (177)
HK1000/12-35-F-E	691 (27.2)	490 (19.3)	605 (23.8)	610 (24.0)	430 (16.9)	430 (16.9)	13 (0.5)	80 (177)
HK1000/12-35-F-E-D	691 (27.2)	490 (19.3)	605 (23.8)	610 (24.0)	430 (16.9)	430 (16.9)	13 (0.5)	80 (177)
HK1000/12-35-PNE	713 (28.1)	490 (19.3)	605 (23.8)	610 (24.0)	430 (16.9)	430 (16.9)	13 (0.5)	80 (177)
HK1000/12-35-PNE-D	713 (28.1)	490 (19.3)	605 (23.8)	610 (24.0)	430 (16.9)	430 (16.9)	13 (0.5)	80 (177)
HK1000/12-35-S-E	689 (27.1)	490 (19.3)	605 (23.8)	610 (24.0)	430 (16.9)	430 (16.9)	13 (0.5)	80 (177)
HK1000/12-35-S-E-D	689 (27.1)	490 (19.3)	605 (23.8)	610 (24.0)	430 (16.9)	430 (16.9)	13 (0.5)	80 (177)
HK1000/12-35-S-U	689 (27.1)	490 (19.3)	605 (23.8)	610 (24.0)	430 (16.9)	430 (16.9)	13 (0.5)	80 (177)
HK1000/12-35-S-U-D	689 (27.1)	490 (19.3)	605 (23.8)	610 (24.0)	430 (16.9)	430 (16.9)	13 (0.5)	80 (177)

2. HYDRAULIC CONNECTIONS



Model	Connections			
	Pressure Line, P	Return Line, T	Drain Line, D*	Air Output, AP
HK450/8-15	BSPP 1/2	BSPP 1/2	-	BSPP 1/2
HKOF450/8-15	BSPP 1/2	BSPP 1/2	-	BSPP 1/2
HK1000/12-35	BSPP 1/2	BSPP 1/2	BSPP 1/8	BSPP 1
*Only in HK1000 -D models.				

3. TECHNICAL SPECIFICATIONS

		HK450/8-15	HKOF450/8-15	HK1000/12-35
DISCHARGE CHARACTERISTICS				
Displacement max at nominal hydraulic flow	l/min (gpm)	450 (118.89)	450 (118.89)	1,000 (264.20)
Pressure max.	bar (psi)	8 (116)	8 (116)	12 (174)
Duty cycle		75%/10min	75%/10min	75%/10min
Frame reservoir	liter (gal.)	4.27 (1.13)	4.27 (1.13)	13 (3.43)
HYDRAULIC POWER REQUIREMENTS				
Flow min.	l/min (gpm)	10 (2.64)	10 (2.64)	12 (3.17)
Flow nom.	l/min (gpm)	15 (3.96)	15 (3.96)	35 (9.25)
Flow max.	l/min (gpm)	21 (5.55)	21 (5.55)	50 (13.21)
Pressure at nominal power output	bar (psi)	130 (1,885)	130 (1,885)	170 (2,466)
Pressure max.	bar (psi)	210 (3,046)	210 (3,046)	230 (3,336)
Pressure when unloaded	bar (psi)	67 (972)	67 (972)	100 (1,450)
HYDRAULIC FLUID REQUIREMENTS				
Viscosity	cSt	10-200 / optimum 25-35	10-200 / optimum 25-35	10-200 / optimum 25-35
Temperature max.*	°C(°F)	70 (158)	70 (158)	70 (158)
Filter ratio	µm	25	25	25
Cooling capacity requirements**	KW	2	2	4
LUBRICATION OIL				
Oil Fill	liter (gal.)	0.9 (0.24)	()	3.5 (0.92)
* Depending on hydraulic fluid.				
** Minimum oil cooling capacity for HK compressor on base machine.				



HK HYDRAULIC PISTON COMPRESSORS-BLUE AIR TECHNICAL SPECIFICATIONS



ELECTRICITY

HG Hydraulic Generator
HGV POWER BOX Variable Hydraulic
Generator System
HGV Variable Hydraulic Generator System
HWG Hydraulic Welding Generator
HGG Hydraulic Ground Power Generator



HIGH PRESSURE WATER

HPW Hydraulic High Pressure Water Pump
HPW Hydraulic Power Washer
KPL High Pressure Street Washing Unit
KPL-WEED Weed Killing Unit
SCU Surface Cleaning Unit
HPW-DUST High Pressure Dust Suppression
System
PPL High Pressure Pipe Cleaning Unit
HPW-FIRE High Pressure Firefighting System
FP Fire Fighting Piercing Kit
HDF Hydraulic Drilling Fluid Pump
JPL High Pressure Bin Washing System
HSP Hydraulic Submersible Pump



COMPRESSED AIR

HK Hydraulic Piston Compressor
HKL Hydraulic Rotary Vane Compressor
HKR Hydraulic Screw Compressor



MAGNET POWER

HMG PRO Hydraulic Magnet Generator
MAG Lift Magnet
HMAG PRO Hydraulic Magnet



VIBRATION

HVB Hydraulic Vibration Pump
HVD Hydraulic Directional Vibra
HRC Hydraulic Reversal Cylinder



POWER BOOSTING

HPI Hydraulic Pressure Intensifier
HPI-C Hydraulic Pressure Intensifier for
Cylinder



VACUUM

HCF Hydraulic Centrifugal Fan
HRVB Hydraulic Recycling Vacuum Bucket



KNOW-HOW

Hydraulic Power Take-off (PTO)
Hydraulic Power Unit Technology
HEU Hydraulic Expansion Unit
HRU Hydraulic Rescue Units
De-Icing Technology
Installation Valves
HHK Hydraulic Grinder
HV/HVY Hydraulic Winch / Winch Unit

www.DYNASET.com



/dynaset



/dynasetoy



/Dynaset_ofcl



/dynaset_official